No.



8300088

HHE UNKLED SHAVIES OF AVIERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Northrup King Co.

Tothereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S), INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXPLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, MPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S14-60'

In Lestimony Winexcot, I have hexeunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 29th day of June in the year of our Lord one thousand nine hundred and eighty-four.

Commissioner
Plant Varisty Protection Office
Linestock, Meat, Grain & Seed Division
Agricultural Marketing Service

John K. Block Secretary of Agriculture

AGRICULTURAL LIVESTOCK, MEAT APPLICATION FOR PLANT VA		VICE VISION	No cer may b	APPROVED: OMB NO. 0581-000 rtificate for plant variety protection issued unless a completed approximation has been received (5 U.S.
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION		RIETY NAME
Northrup King Co.		703041		4-60
4. ADDRESS (Street and No. or R.F.D. No., City,	State and Zin Codel			FOR OFFICIAL USE ONLY
	otate, and 21p code)	5. PHONE (Include area code)		NUMBER
P. O. Box 959 Minneapolis, MN 55440		612-781-8011		8300088
6. GENUS AND SPECIES NAME	7. FAMILY NA			DATE
			FILING	3/28/83
Glycine max	Legumin	noseae	=	TIME O-30 MAM Day
8. KIND NAME	9.	DATE OF DETERMINATION		9:30 X A.M. P.M.
			<u> </u>	<u>s_1,000</u>
Soybeans		March, 1982	EV	DATE 2/20/02
10. IF THE APPLICANT NAMED IS NOT A "PER			RECEIVED	3/28/83 AMOUNT FOR CERTIFICATE
partnership, association, etc.)		The second secon	1 0	500.00
Corporation			#	DATE
11. IF INCORPORATED, GIVE STATE OF INCOR	RPORATION		12 04	5/30/84
Delaware				896
Northrup King P. O. Box 959 Minneapolis, M	IN 55440			
a. X Exhibit A, Origin and Breeding History of Section 52 of the Plant Variety Protection b. X Exhibit B, Novelty Statement	the Variety (See		otection (· ·
 DOES THE APPLICANT(S) SPECIFY THAT SE SEED? (See Section 83(a) of the Plant Variety 	ED OF THIS VARIE	ETY BE SOLD BY VARIETY NAM Yes (If "Yes," answer		
16. DOES THE APPLICANT(S) SPECIFY THAT TI LIMITED AS TO NUMBER OF GENERATION	HIS VARIETY BE S?	17. IF "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH C	
Yes No 18. DID THE APPLICANT(S) FILE FOR PROTECT	CON OF THE WAR	Foundation		istered Certified
	TON OF THE VANI	ETT IN THE U.S. OR UTHER COL	JN I HIES	Yes (If "Yes," give name of countries and dates)
TO HAVE PIGUES PEED OF ANTICON				X No
9. HAVE RIGHTS BEEN GRANTED IN THE U.S.	OR OTHER COUNT	FRIES?		Yes (If "Yes," give name of countries and dates)
				X No
 The applicant(s) declare(s) that a viable san plenished upon request in accordance with 	nple of basic seeds such regulations a	of this variety will be furnished s may be applicable.	l with th	e application and will be re-
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Variety Protection Act.	vner(s) of this sext Section 41, and is	ially reproduced novel plant va entitled to protection under th	riety, and e provisio	d believe(s) that the variety is ons of Section 42 of the Plant
Applicant(s) is (are) informed that false rep	resentation herein	can jeopardize protection and	result in	penalties.
IGNATURE OF APPLICANT			DAT	
Kolurt Work Home	<u> </u>			ARCH 21, 1983
AT LICANT			DAT	

FORM LMGS-470 (9-81) (Edition of 1-78 is obsolete)

EXHIBIT A

Origin and Breeding History of the Variety

- 1974-76 We made the cross 'S1492' x 'Hodgson' and advanced the population to F_6 . In October, 1976, we selected 100 single plants from the F_6 bulk.
- We grew the 100 plant selections in F₇ progeny rows. One of these, numbered 703041, was selected on the basis of agronomic appearance to be tested in a preliminary Maturity Group I yield trial. This line was subsequently named S14-60.
- 1978-80 We tested S14-60 in replicated yield trials at several northern and central corn belt locations and found it to yield well in comparison to other Group I varieties. We identified and confirmed the descriptive characteristics purple flower color, grey pubescence color, brown pod color, buff hilum color, and dull seed coat luster. We tested S14-60 for iron deficiency chlorosis in a field test and found it to be moderately resistant.

In 1980, we made a small increase of S14-60 from 500 grams of carefully hand rogued seed. We removed all plants not conforming to the variety description by roguing the increase block several times. Growth and maturity were uniform.

1981-82 - We continued to test S14-60 in advanced Group I yield trials to confirm descriptive characteristics, mid Group I maturity, and yield capability.

We grew Breeder Seed of S14-60 in 1982. The Iowa Crop Improvement Association inspected the production field and found it to meet the requirements for Foundation Seed. S14-60 was accepted as eligible for Certification by the National Soybean Variety Review Board on December 9, 1982.

Variety S14-60 is stable and uniform. No variants have been observed in five years of yield testing and three years of seed increase of S14-60.

We will maintain varietal purity by use of progeny rows as needed.


EXHIBIT B

Novelty Statement for the Variety


Variety S14-60 is most similar to Hodgson, S1346, and S18-84. Hodgson has dark brown pods, S14-60 has medium brown pods. S14-60 has buff hilum color; S1346 has yellow hilum color. S14-60 has purple flower color, S18-84 has white flower color.

Exhibit B

Soybean, 'S14-60' differs from Hodgson in the shade of pod color. Comparisons of pods shows that 'S14-60' is described by Munsell Color 5Y 5/2 whereas the color of Hodgson pods corresponds to Munsell Color 2.5Y 5/2. That is, 'S14-60' has a slight greenish coloration compared with a slight reddish coloration for Hodgson.



'S14-60'



Hodgson

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOVREAN (Glycine max 1.)

SUTBE	AN (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Co.	703041	S14-60
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co		FOR OFFICIAL USE ONLY
P. O. Box 959		8300088
Minneapolis, MN 55440		830008
Choose the appropriate response which characterizes the vain your answer is fewer than the number of boxes provided	riety in the features described , place a zero in the first box v	below. When the number of significant digits when number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
2 fwh.	т	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened	(L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Neb	soy'; 'Gasoy 17')	.
4. SEED SIZE: (Mature Seed)		
1 7 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect BI	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		·
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only (*Evans'; 'Davis') 2 = Green wi 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71' 4 = Dark Purple extending to unifoliate leaves ('Hodgson'		('Woodworth'; 'Tracy')
IO. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

11. LEAF	ELET SIZE:	
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF	COLOR:	
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13, FLOW	VER COLOR:	
2	1 = White 2 = Purple 3 = White with purple throat	
14. POD 0	COLOR:	
2	1 = Tan 2 = Brown 3 = Black	
15. PLAN	T PUBESCENCE COLOR:	
1	1 = Gray 2 = Brown (Tawny)	
16. PLAN	T TYPES:	
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLAN	T HABIT:	
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATU	JRITY GROUP:	
0 4	1 = 000	
19. DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
BACT	TERIAL DISEASES:	
0	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
	Bacterial Blight (Pseudomonas glycinea)	
<u> </u>	Wildfire (Pseudomonas tabaci)	
FUNG	AL DISEASES:	
1	Brown Spot (Septoria glycines)	
	Frogeye Leaf Spot (Cercospora sojina)	
0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify)	
	Target Spot (Corynespora cassiicola)	_
0	Downy Mildew (Peronospora trifoliorum var. manshurica)	
0	Powdery Mildew (Microsphaera diffusa)	
1	Brown Stem Rot (Cephalosporium gregatum)	

19. DISE	ASE REACTION	N: (Enter 0 = Not T	ested; 1 = Susceptible;	2 = Resistant) (C	continued)					
FUI	NGAL DISEAS	ES: (Continued)								
1	Pod and Ster	m Blight <i>(Diaporthe</i>	phaseolorum var; sojae)						
1	Purple Seed Stain <i>(Cercospora kikuchii)</i>									
0	Rhizoctonia	Root Rot (Rhizocte	onia solani)				·			
	Phytophthor	a Rot (Phytophthol	ra megasperma var. soja	e)						
1	Race 1	1 Race 2	1 Race 3	1 Race 4	1 Race 5	1 Race 6	1 Race 7			
1	Race 8	1 Race 9	Other (Specify	/)						
VIR	AL DISEASES	:								
0	Bud Blight (1	Fobacco Ringspot V	'irus)							
0	Yellow Mosa	ic (Bean Yellow Mo	saic Virus)							
0	Cowpea Mosa	aic (Cowpea Chloro	tic Virus)				•			
0	Pod Mottle (I	Bean Pod Mottle Vi	rus)			•				
0	Seed Mottle	(Soybean Mosaic Vi	rus)			•				
NEM	IATODE DISE	ASES:								
	Soybean Cys	t Nematode <i>(Hetero</i>	dera glycines)				÷			
1	Race 1	1 Race 2	1 Race 3	1 Race 4	Other (Specify)				
0	Lance Nemat	ode (<i>Hoplolaimus C</i>	Colombus)				4.			
0	Southern Roo	ot Knot Nematode (Meloidogyne incognita	,						
0	Northern Roo	ot Knot Nematode (Meloidogyne Hapla)			•				
	Peanut Root	Knot Nematode <i>(Me</i>	eloidogyne arenaria)				•			
	Reniform Ner	matode (<i>Rotylenchu</i>	ılus reniformis)							
H	O Reniform Nematode (Rotylenchulus reniformis) OTHER DISEASE NOT ON FORM (Specify):									
D. PHYSIC	DLOGICAL RE	SPONSES: (Enter (0 = Not Tested; 1 = Sus	sceptible; 2 = Res	istant)					
2	tron Chlorosis	on Calcareous Soil					:			
	Other (Specify	n	· · · · · · · · · · · · · · · · · · ·				····			
. INSECT	REACTION:	(Enter 0 = Not Test	ted; 1 = Susceptible; 2 =	= Resistant)			· · · · · · · · · · · · · · · · · · ·			
0	Mexican Bean	Beetle (Epilachna v	varivestis)			e.	•			
0	Potato Leaf H	opper (Empoasca fa	abae)							
	Other (Specify	·//	 							
. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.										
CHAR	ACTER	NAME	OF VARIETY	СНА	RACTER	NAME	OF VARIETY			
Plant Sha	ape	S18-84		Seed Co	at Luster	Hodgson 78				
Leaf Sha	pe	Hodgson 78	3	Seed Siz	e e	Hodgson 78	·			
Leaf Col	or	Hodgson 78	3	Seed Sh	<u> </u>	Hodgson 78				
Leaf Size	•	Hodgson 78	3	Seedling	Pigmentation	Hodgson 78				
		l .				1				

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	119	2.1	84	5.0	9.8	41.5	20.3	16.9	2-3
odgson 78 Name of Similar Variety	117	2.7	89	4.3	9.5	41.5	21.4	16.6	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D

Additional Description of the Variety

Soybean variety S14-60 is a medium Group I variety maturing about 2 days later than Hodgson 78. S14-60 has good seedling emergence, moderate resistance to iron chlorosis, and excellent standability. It has normal levels of tolerance to the herbicides Sencor, Basagran, and Blazer.